

Figure 10: Details of the stone wall construction. The figure consists of three cross-sectional diagrams. The left diagram shows a general cross-section of a stone wall with a base layer, a middle layer of stones, and a top layer of stones. The middle diagram shows a detail of the base layer with a 1:2 concrete base, a 2mm steel mesh, and a 2mm concrete layer. The right diagram shows a detail of the top layer with a 1:2 concrete base, a 2mm steel mesh, and a 2mm concrete layer. The diagrams are labeled with dimensions and materials.

<div> <div>54</div> <div>N</div> </div> <div>樓梯踏步詳圖</div>	<div> <div>59</div> <div>N</div> </div> <div>地坪磨石子施工詳圖</div>	<div> <div>56</div> <div>N</div> </div> <div>地坪磨石子施工詳圖</div>	<div> <div>59</div> <div>N</div> </div> <div>大理石門檻詳圖</div>
<div> <div>54</div> <div>N</div> </div> <div>欄杆立柱基座平面詳圖</div>	<div> <div>59</div> <div>N</div> </div> <div> </div>	<div> <div>56</div> <div>N</div> </div> <div> </div>	<div> <div>59</div> <div>N</div> </div> <div> </div>
<div> <div>54</div> <div>N</div> </div> <div>欄杆立柱基座平面詳圖</div>	<div> <div>59</div> <div>N</div> </div> <div> </div>	<div> <div>56</div> <div>N</div> </div> <div> </div>	<div> <div>59</div> <div>N</div> </div> <div> </div>

(A) 牆面與牆面伸縮縫(平頂與平頂)

(B) 外牆與外牆伸縮縫

(C) 室內與牆面伸縮縫

材料說明:

1. 蓋板 (304# 毛線面 厚度 TH=4.0mm)
2. 緣材 (高度容許型 6063-T5)
3. 防音泡棉 (耐炭 P.V.C)
4. 止水板 (SANTOPRENE 合成橡膠 TH=1.0mm)
5. 彈簧夾子 (301# TH=0.6mm @60cm)
6. 平面螺絲栓 (304# 1/4"x2" @60cm)
7. 自攻牙螺絲栓 (304# 1/4"x2" @60cm)
8. 圓頭螺栓 (304# 1/4"x2" @60cm)
9. 單液 PU 填縫膠
10. 夾子緣材 (高度容許型 6063-T5)
11. 固定螺絲 (304# 8#x1 1/2" @60cm)
12. 彈簧板 (301# W=50mm @60cm TH=0.6mm)
13. 墊條 (耐炭 P.V.C)
14. 蓋板 (SANTOPRENE 合成橡膠)

施工說明:

1. 承包廠商應依圖樣尺寸及狀況另繪施工按圖圖說及送產品經監造單位查驗後，始能施工。
2. 本工程採責任包工、保固三年。由承包商備具保證書及出廠證明。
3. 鉛封型密封符合下列性能標準：(依 CNS-2257 國家標準)

鉛封試驗報告：	抗拉強度 15 kgf/cm² 以上。
拉伸率 8% 以上。	持久率 8% 以上。
4. 不滲漏適合下列物理性標準：(依 CNS-849 國家標準)	並附試驗報告：
抗拉強度 5.3 kgf/mm² 以上。	持久率 40% 以上。
降伏強度 21 kgf/mm² 以上。	5. 合成橡膠符合下列物理性標準：(依 CNS-3553 國家標準)
並附試驗報告：	抗拉強度 100 kgf/cm² 以上。
持久率 500% 以上。	持久率保留率 80% 以上。
硬度 75 ± 5	仲長率保留率 80% 以上。

蘇建榮建築師事務所 C.J.SU Architect & Associates	工程名稱	河瀾國際文教會館新建工程				圖面名稱	大樣詳圖(三)				圖面修正	設計繪圖 核對日期	備註	圖號 A 7 - 5	張數 /
--	------	--------------	--	--	--	------	---------	--	--	--	------	--------------	----	---------------	---------